

## INDEX TO VOLUME 72

New generic, specific, and subspecific names are printed in **boldface type**.

## A

- Acanthis*, 156, 160  
     *flammea*, 61, 104, 125  
     *hornemanni*, 61, 125  
*Accipiter*, 252  
     *cooperi*, 255  
     *gentilis*, 103, 184, 255  
     *striatus*, 218, 255  
*Actitis macularia*, 167, 353  
*Aechmophorus occidentalis*, 373, 376  
*Aegolius*, 252, 262  
     *acadicus*, 45, 253-256, 258-259  
     *funereus richardsoni*, 253-256, 258-259  
     *funereus tengmalmi*, 258, 260  
*Aeronautes saxatalis*, 225, 228  
*Aethia cristatella*, 167  
     *pusilla*, 167  
*Agelaius phoeniceus*, 299, 449, 457, 471, 473  
     *tricolor*, 445, 458  
*Agriocharis crassipes*, 151  
     *leopoldi*, 151  
     *progenes*, 151  
*Aimophila ruficeps*, 29, 328  
*Aix sponsa*, 474  
*Akiapolaau*, 240  
*Albatross*, Black-footed, 110, 122, 339-353, 355-356  
     Laysan, 122, 341-344, 346, 348-352, 356  
*Alectoris graeca*, 222-223, 280  
*Alopochen*, 149-150  
*Amadina fasciata*, 265  
*Amadon*, D., see Sick, Helmut —  
*Amakihi*, Hawaiian, 238  
*Amazilia*, 3  
     *rutila*, 4-13  
     *saucerrottei*, 4-13  
     *tzacatl*, 4-9, 11, 167  
 Ames, Peter L., see Lynch, James F., and —  
*Ammomanes deserti deserti*, 476  
*Ammoperdix heyi*, 168  
*Amphispiza*, 272  
     *belli*, 34, 265  
     *belli nevadensis*, 265, 273  
     *bilineata*, 24, 32, 34, 265, 289-290  
*Anabernicula*, 147-151  
     *gracilentia ross*, 147-148  
     *minuscule*, 147-148  
     *oregonensis*, 147-148, 150  
     *robusta*, 147-150  
     *ross*, 147  
*Anas acuta*, 104, 150, 166, 321, 449  
     *carolinensis*, 104, 166  
     *crecca*, 108  
     *cyanoptera*, 166, 474  
     *discors*, 60-61, 153, 166, 291  
     *flavirostris*, 361  
     *platalea*, 361  
     *platyrhynchos*, 104, 150, 166, 206, 321, 446  
     *sibilatrix*, 361  
     *specularis*, 361  
     *strepera*, 104  
*Anatidae*, 150  
 Anderson, Daniel W., Pseudo-sleeping attitude in Lesser Scaup and Ring-necked Ducks, 370-371  
 Anderson, Stanley H., The avifaunal composition of Oregon white oak stands, 417-423  
 Anderson, William L., Seasonal changes in thymus weights in Ring-necked Pheasants, 205-208  
*Ani*, Smooth-billed, 375  
*Anous stolidus*, 460  
     *tenuirostris*, 460  
*Anser albifrons*, 474  
*Anseriformes*, 165-166  
 Anthony, Robert, Ecology and reproduction of California Quail in southeastern Washington, 276-287  
*Anthracothonax*, 3, 7-8  
     *prevostii*, 4-8, 11  
*Anthus spinoletta*, 104, 244  
     *spragueii*, 244  
*Antilophia galeata*, 428  
*Antshrike*, Barred, 375  
*Apelocoma coerulescens*, 199, 201, 328, 418, 457, 475  
     *ultramarina*, 328  
*Aphrastura spinicauda*, 363  
*Aphriza virgata*, 242  
*Apodiformes*, 167  
*Apus apus*, 225  
*Aquila chrysaetos*, 112, 114  
     *rapax*, 164-166  
*Araçari*, Collared, 371-372  
*Archilochus*, 3, 6-8, 11-12, 210  
     *alexandri*, 209-212, 328  
     *colubris*, 4-7, 11  
*Archilochus alexandri* × *Selasphorus sasin*, 209, 212  
*Ardea*, cinerea, 45, 410  
     *herodias*, 166, 407  
     *occidentalis*, 411  
*Ardeotis kori*, 166  
*Arenaria interpres*, 372  
     *melanocephala*, 104, 167  
 Arnold, Keith A., and Terry C. Maxwell, The Great Swallow-tailed Swift (*Panyptila sanctihieronymi*) from the state of Guerrero, México, 108  
*Arremonops conirostris*, 61  
 Arvey, M. Dale, Second record of Ovenbird in Nevada, 367  
*Ashmole*, N. Philip, see Tovar S., Humberto, and —  
*Asio*, 252, 262  
     *flammeus*, 104, 252-256, 258-260, 363, 463  
     *flammeus galapagoensis*, 77  
     *otus otus*, 260  
     *otus wilsonianus*, 252-256, 258-260  
*Asyndesmus lewis*, 196  
*Auklet*, Cassin's, 491  
     *Rhinoceros*, 491  
*Auriparus flaviceps*, 431-432, 493  
 Austin, George T., Interspecific territoriality of migrant Calliope and resident Broad-tailed Hummingbirds, 234  
 Austin, George T., Breeding birds of desert riparian habitat in southern Nevada, 431-436  
 Austin, George T., The occurrence and status of certain anatids in southern Nevada, 474  
 Aves, 46, 324  
*Avocet*, European, 222  
*Aythya affinis*, 108, 166, 370  
     *americana*, 166  
     *collaris*, 370  
     *fuligula*, 108  
     *marila*, 104, 108, 166, 242, 474  
     *valisineria*, 242, 370, 474

## INDEX TO VOLUME 72

New generic, specific, and subspecific names are printed in **boldface type**.

## A

- Acanthis*, 156, 160  
     *flammea*, 61, 104, 125  
     *hornemanni*, 61, 125  
*Accipiter*, 252  
     *cooperi*, 255  
     *gentilis*, 103, 184, 255  
     *striatus*, 218, 255  
*Actitis macularia*, 167, 353  
*Aechmophorus occidentalis*, 373, 376  
*Aegolius*, 252, 262  
     *acadicus*, 45, 253-256, 258-259  
     *funereus richardsoni*, 253-256, 258-259  
     *funereus tengmalmi*, 258, 260  
*Aeronautes saxatalis*, 225, 228  
*Aethia cristatella*, 167  
     *pusilla*, 167  
*Agelaius phoeniceus*, 299, 449, 457, 471, 473  
     *tricolor*, 445, 458  
*Agriocharis crassipes*, 151  
     *leopoldi*, 151  
     *progenes*, 151  
*Aimophila ruficeps*, 29, 328  
*Aix sponsa*, 474  
*Akiapolaau*, 240  
*Albatross*, Black-footed, 110, 122, 339-353, 355-356  
     Laysan, 122, 341-344, 346, 348-352, 356  
*Alectoris graeca*, 222-223, 280  
*Alopochen*, 149-150  
*Amadina fasciata*, 265  
*Amadon*, D., see Sick, Helmut —  
*Amakihi*, Hawaiian, 238  
*Amazilia*, 3  
     *rutila*, 4-13  
     *saucerrottei*, 4-13  
     *tzacatl*, 4-9, 11, 167  
 Ames, Peter L., see Lynch, James F., and —  
*Ammomanes deserti deserti*, 476  
*Ammoperdix heyi*, 168  
*Amphispiza*, 272  
     *belli*, 34, 265  
     *belli nevadensis*, 265, 273  
     *bilineata*, 24, 32, 34, 265, 289-290  
*Anabernicula*, 147-151  
     *gracilentia ross*, 147-148  
     *minuscule*, 147-148  
     *oregonensis*, 147-148, 150  
     *robusta*, 147-150  
     *ross*, 147  
*Anas acuta*, 104, 150, 166, 321, 449  
     *carolinensis*, 104, 166  
     *crecca*, 108  
     *cyanoptera*, 166, 474  
     *discors*, 60-61, 153, 166, 291  
     *flavirostris*, 361  
     *platalea*, 361  
     *platyrhynchos*, 104, 150, 166, 206, 321, 446  
     *sibilatrix*, 361  
     *specularis*, 361  
     *strepera*, 104  
*Anatidae*, 150  
 Anderson, Daniel W., Pseudo-sleeping attitude in Lesser Scaup and Ring-necked Ducks, 370-371  
 Anderson, Stanley H., The avifaunal composition of Oregon white oak stands, 417-423  
 Anderson, William L., Seasonal changes in thymus weights in Ring-necked Pheasants, 205-208  
*Ani*, Smooth-billed, 375  
*Anous stolidus*, 460  
     *tenuirostris*, 460  
*Anser albifrons*, 474  
*Anseriformes*, 165-166  
 Anthony, Robert, Ecology and reproduction of California Quail in southeastern Washington, 276-287  
*Anthracothonax*, 3, 7-8  
     *prevostii*, 4-8, 11  
*Anthus spinoletta*, 104, 244  
     *spragueii*, 244  
*Antilophia galeata*, 428  
*Antshrike*, Barred, 375  
*Apelocoma coerulescens*, 199, 201, 328, 418, 457, 475  
     *ultramarina*, 328  
*Aphrastura spinicauda*, 363  
*Aphriza virgata*, 242  
*Apodiformes*, 167  
*Apus apus*, 225  
*Aquila chrysaetos*, 112, 114  
     *rapax*, 164-166  
*Araçari*, Collared, 371-372  
*Archilochus*, 3, 6-8, 11-12, 210  
     *alexandri*, 209-212, 328  
     *colubris*, 4-7, 11  
*Archilochus alexandri* × *Selasphorus sasin*, 209, 212  
*Ardea*, cinerea, 45, 410  
     *herodias*, 166, 407  
     *occidentalis*, 411  
*Ardeotis kori*, 166  
*Arenaria interpres*, 372  
     *melanocephala*, 104, 167  
 Arnold, Keith A., and Terry C. Maxwell, The Great Swallow-tailed Swift (*Panyptila sanctihieronymi*) from the state of Guerrero, México, 108  
*Arremonops conirostris*, 61  
 Arvey, M. Dale, Second record of Ovenbird in Nevada, 367  
*Ashmole*, N. Philip, see Tovar S., Humberto, and —  
*Asio*, 252, 262  
     *flammeus*, 104, 252-256, 258-260, 363, 463  
     *flammeus galapagoensis*, 77  
     *otus otus*, 260  
     *otus wilsonianus*, 252-256, 258-260  
*Asyndesmus lewis*, 196  
*Auklet*, Cassin's, 491  
     *Rhinoceros*, 491  
*Auriparus flaviceps*, 431-432, 493  
 Austin, George T., Interspecific territoriality of migrant Calliope and resident Broad-tailed Hummingbirds, 234  
 Austin, George T., Breeding birds of desert riparian habitat in southern Nevada, 431-436  
 Austin, George T., The occurrence and status of certain anatids in southern Nevada, 474  
 Aves, 46, 324  
*Avocet*, European, 222  
*Aythya affinis*, 108, 166, 370  
     *americana*, 166  
     *collaris*, 370  
     *fuligula*, 108  
     *marila*, 104, 108, 166, 242, 474  
     *valisineria*, 242, 370, 474

# B

- Bageshwar, K., see Thapliyal, J. P., and —  
 Balda, Russell P., Effects of spring leaf-fall on composition and density of breeding birds in two southern Arizona woodlands, 325-331  
 Balearica pavonina, 166  
 Bananaquit, 105, 375  
 Banks, Richard C., The Fox Sparrow on the west slope of the Oregon Cascades, 369-370  
 Banks, Richard C., and Charles G. Hansen, Bird records from southern Nevada, 109-110  
 Barfield, R. J., see Hamner, W. M., and —  
 Barlow, Jon C., James A. Dick, and Esther Pendergast, Additional records of birds from British Honduras (Belize), 371-372  
 Bartholomew, George A., and Charles H. Trost, Temperature regulation in the Speckled Mousebird, *Colius striatus*, 141-146  
 Bartholomew, George A., see Lasiewski, Robert C., and —  
 Bartramia longicauda, 167  
 Berger, Andrew J., The eggs and young of the Palila, an endangered species, 238-240  
 Binford, Laurence C., Audubon's Shearwater, Hudsonian Godwit, and Long-tailed Jaeger in Oaxaca, México, 366  
 Biziura lobata, 45  
 Blackbird, Brewer's, 15-22, 57, 457  
     European, 449  
     Redwinged, 299-303, 449, 457-458, 471-473  
     Rusty, 103  
     Tricolored, 445-450, 458  
     Yellow-headed, 458  
 Bluebird, Eastern, 328  
     Mountain, 184-186, 188, 498  
     Western, 200, 418  
 Bluethroat, 479  
 Bobolink, 62, 458  
 Bobwhite, 85-87  
     Masked (ssp.), 86  
 Bobwhite × California Quail, 86  
 Bobwhite × Gambel Quail, 86  
 Bock, Carl E., and James F. Lynch, Breeding bird populations of burned and unburned conifer forest in the Sierra Nevada, 182-189  
 Bombicilla cedrorum, 45, 418, 428, 499  
 Bonasa umbellus, 166, 441  
 Booby, Brown, 484  
     Masked, 484  
     Red-footed, 483, 484, 485  
 Botaurus lentiginosus, 166  
 Brachialis anticus, 294-295  
 Brachyramphus marmoratum, 104  
 Brant, Black, 104, 110  
 Branta canadensis, 61, 104, 147, 154, 156, 353  
     canadensis occidentalis, 147  
     nigricans, 104, 110  
 Brantadorna, 150  
 Broadbill, Banded, 428  
     Black and Red, 428  
     Wattled, 428  
 Bubo virginianus, 103, 167, 184, 256-257, 259, 262, 418  
     virginianus occidentalis, 253-255, 257  
     virginianus pacificus, 253-255, 257  
     virginianus pallascens, 254-255, 257  
     virginianus virginianus, 252-255  
     virginianus wapacuthu, 253-256  
 Bulbulcus ibis, 62, 105  
 Bucephala albeola, 359

- clangula, 102, 104, 474  
 islandica, 102  
 Buckley, F. G., see Buckley, P. A., and —  
 Buckley, P. A., and F. G. Buckley, Notes on the distribution of some Puerto Rican birds and on the courtship behavior of White-tailed Tropicbirds, 483-486  
 Bucorvus leadbeateri, 167  
 Budgerigar, 21, 289, 291  
 Budgerygah, 265, 272-273  
 Bufflehead, 359  
 Bullfinch, 175-178, 450  
 Bunting, Common Snow, 111  
     Indigo, 116-119  
     Lazuli, 184-186, 419, 422  
     McKay's Snow, 111  
 Burns, John J., see Irving, Laurence, and —  
 Bushtit, Common, 327-329, 418  
 Buteo, 115, 256  
     galapagoensis, 82  
     jamaicensis, 166, 184, 200, 418, 463  
     lagopus, 104, 114  
     swainsoni, 215  
     vulpinus, 166  
 Butorides virescens, 105, 407
- # C
- Cahow, 80, 82-83  
 Calcarius lapponicus, 104  
     ornatus, 244  
 Calder, William A., Use of Dipper nest by Mountain Bluebird, 498  
 Calidris alba, 362-363  
     bairdii, 362  
     fuscicollis, 362  
     minutilla, 375  
 Callipepla, 85-87  
     squamata, 85, 166  
 Callipepla × Colinus, 85  
 Callipepla × Lophortyx, 85, 87  
 Calypte anna, 177, 201, 203  
     costae, 432  
 Campbell, R. Wayne, Occurrence and nesting of Black Terns in southwestern British Columbia, 500  
 Campylorhynchus brunneicapillus, 273, 363, 432  
 Canvasback, 242, 370, 474  
 Capella gallinago, 104, 223  
 Caprimulgidae, 236  
 Caprimulgiformes, 167  
 Caprimulgus, 332  
     carolinensis, 236  
     europaeus, 237, 496  
     maculicaudus, 237  
     nigrescens, 237  
     parvulus, 237  
     ridgwayi, 237  
     rufus, 237  
     vociferus, 45, 237, 328  
 Caracara, Yellow-headed, 105  
 Cardinal, 33  
 Carduelis carduelis, 429  
 Carinini, 149  
 Carlson, Robert D., see Craddock, Donovan R., and —  
 Carpenter, Roger E., and Mary A. Stafford, The secretory rates and the chemical stimulus for secretion of the nasal salt glands in the Rallidae, 316-324  
 Carpodacus cassinii, 184  
     mexicanus, 99, 102, 115-116, 201, 244, 269, 289-290, 328, 418, 432, 475

- mexicanus frontalis, 240  
 purpureus, 429  
 Casmerodius albus, 105, 166, 407  
 Catbird, 116-119  
 Catharacta, 122  
 Cathartes, 166, 248  
   aura, 184, 244, 418  
 Catharus, 457  
   aurantiiostris, 499  
   guttatus, 458  
 Catoptrophorus semipalmatus, 112, 167, 222-223  
 Centrocerus urophasianus, 165-166  
 Centurus carolinus, 169  
   uropygialis, 167  
 Cepphus columba, 104, 111  
 Cereopsis, 148  
 Cerorhinca monocerata, 491  
 Certhia familiaris, 184, 243, 418  
 Chaetura pelagica, 225  
   vauxi, 184  
 Chaffinch, 159, 222  
 Chamaea fasciata, 201  
 Chaniot, George E., Jr., Notes on color variation in  
   downy Caspian Terns, 460-465  
 Charadriiformes, 167, 316  
 Charadrius alexandrinus, 167  
   semipalmatus, 104, 481  
   vociferus, 167, 245  
 Chen caerulescens, 166  
   hyperborea, 474  
   rossii, 474  
 Chickadee, 420  
   Black-capped, 104, 222, 418, 496  
   Mountain, 184-186, 188, 496  
 Child, George I., and Shirley G. Marshall, A method  
   of estimating carcass fat and fat-free weights  
   in migrant birds from water contents of  
   specimens, 116-119  
 Chlidonias spp., 460  
   niger, 167, 500  
 Chloephaga, 148-151  
 Chlorophanes, 429  
 Chlorostilbon, 3, 7-11  
   canivetii, 4-7, 11  
 Chlorura chlorura, 184  
 Chondestes grammacus, 29, 328  
 Chordeiles, 332  
   acutipennis, 225, 237, 432  
   minor, 167, 184, 228, 237  
   pusillus, 237  
 Chuck-will's-widow, 236-237  
 Ciconia ciconia, 166  
 Ciconiiformes, 165-166  
 Cinclus mexicanus, 104, 234, 498  
 Circus aeruginosus, 245  
   cyaneus, 104, 215, 245  
   pygargus, 245  
 Clangula hyemalis, 110  
 Clark, George A., Jr., Apparent lack of the double-  
   scratch in two species of Spizella, 370  
 Coccozys americanus, 116  
   erythrothalamus, 371-372  
 Cock-of-the-Rock, Guianan, 424  
 Coereba flaveola, 105, 375  
 Colaptes auratus, 45, 167, 173  
   cafer, 167, 184, 199, 328, 418, 457  
   chrysoides, 167  
 Coliiformes, 141  
 Colinus, 85-87  
   virginianus, 85, 283  
   virginianus ridgwayi, 86  
 Colinus  $\times$  Lophortyx, 87  
 Colius, 225  
   colius, 141  
   indicus, 141  
   striatus, 141-145  
   striatus minor, 141  
 Colley, Frank A., see Enderson, James H., and —  
 Columba fasciata, 418  
   flaviostris, 371  
   livia, 167, 363  
 Columbiformes, 167  
 Coly, Speckled, 141  
 Contopus sordidulus, 184, 328, 419  
   virens, 29  
 Coot, American, 151, 165, 291, 316-323  
 Coraciiformes, 167  
 Coragyps, 248  
 Cormorant, Pelagic, 104  
   Red-faced, 242  
 Corvus brachyrhynchos, 57  
   caurinus, 243  
   corax, 104, 113  
 Cotinga amabilis, 425-426  
   cotinga, 429  
 Cotinga, Lovely, 425  
   Pompadour, 425  
   Purple-throated, 426  
 Cotingidae, 424, 429  
 Coturnix coturnix japonica, 99  
 Cowbird, Bronzed, 500-501  
   Brown-headed, 184, 328, 343, 350, 419-420, 432,  
     457, 491, 500  
   Glossy, 485  
 Cracidae, 106  
 Cracraft, Joel, A new species of Telmabates (Phoeni-  
   copteriformes) from the Lower Eocene of  
   Patagonia, 479-480  
 Craddock, Donovan R., and Robert D. Carlson, Pere-  
   grine Falcon observed feeding far at sea,  
   375-376  
 Crane, Sandhill, 104  
   Whooping, 246  
 Crax alector, 108  
   blumenbachii, 106-107  
   fasciolata, 107  
   globulosa, 106  
   mitu, 107  
   tomentosa, 108  
   urumutum, 107  
 Creeper, Brown, 169, 170-173, 184, 186, 243, 418  
 Crossbill, Red, 130, 243, 272  
   White-winged, 129, 243, 258, 479  
 Crossin, Richard S., and Lawrence N. Huber, Sooty  
   Tern egg predation by Ruddy Turnstones,  
   372-373  
 Crotophaga ani, 375  
   major, 45  
 Crow, Common, 57  
   Northwestern, 243  
 Cuckoo, Black-billed, 371, 372  
   Yellow-billed, 116-119  
 Cuculiformes, 167  
 Cuprimulgiformes, 332-333, 335  
 Curassow, Nocturnal, 107  
   Red-billed, 106  
   Wattled, 106  
 Curlew, Bristle-thighed, 372  
   Eurasian, 218, 221, 223  
   Long-billed, 213-215, 217, 219-223  
   Stone, 221

Cyanocitta cristata, 37, 370  
 stelleri, 184, 199-200, 418  
 Cyanocorax affinis, 248  
 Cygnus melancoryphus, 361  
 Cymbirhynchus, 429  
 macrorhynchus, 426, 428  
 Cyrotonyx montezumae, 166, 328

# D

Daption capensis, 82  
 Darling, John L., New breeding records of *Toxostoma curvirostre* and *T. bendirei* in New Mexico, 366-367  
 Davis, L. Irby, and Fred S. Webster, Jr., An intergeneric hybrid flycatcher (*Tyrannus* × *Muscivora*), 37-42  
 Dawson, William R., see Lasiewski, Robert C., and —  
 Dendragapus obscurus, 437  
 Dendrocincla fuliginosa, 233  
 Dendrocopos, 313  
   albolarvatus, 184  
   arizonae, 328  
   hyperythrus subrufinus, 479  
   major, 482  
   nuttallii, 199-201  
   pubescens, 169, 242, 418  
   scalaris, 432  
   syriacus, 482  
   villosus, 184, 200, 418  
 Dendroica albilora, 473  
   auduboni, 184, 418  
   caerulescens caerulescens, 109  
   coronata, 116  
   dominica, 473  
   graciae, 328  
   nigrescens, 328, 419  
   pensylvanica, 116, 246  
   petechia, 104, 184, 419  
 Dick, James A., see Barlow, Jon C., and —  
 Dickcissel, 61  
 Dickerman, Robert W., A systematic revision of *Geothlypis speciosa*, the Black-pollled Yellowthroat, 95-98  
 Dickerman, Robert W., and Allan R. Phillips, Taxonomy of the Common Meadowlark (*Sturnella magna*) in central and southern México and Caribbean Central America, 305-309  
 Diomedea, 110, 122, 349  
   albatrus, 122  
   immutabilis, 122, 350-351  
   nigripes, 110, 122, 343-344, 347, 349, 351  
 Dipper, 104, 234-235, 498  
 Dolichonyx oryzivorus, 62, 458  
 Donham, Richard S., and Fred E. Wilson, Photorefractoriness in pinealectomized Harris' Sparrows, 101-102  
 Dove, Barbary, 271  
   Inca, 145, 271  
   Mourning, 184, 201, 203, 271-272, 291, 328, 432  
   Ring, 21  
   Rock, 363  
   White-winged, 109, 371, 431-432  
 Dowitcher, Short-billed, 112, 242  
 Dryocopus pileatus, 184, 418, 424, 426, 428-429  
 Duck, Domestic, 316  
   Harlequin, 104  
   Peking, 322  
   Ring-necked, 370, 371  
   Ruddy, 370  
   Spectacled, 361

Tufted, 108  
 Wood, 474

Dumetella carolinensis, 116  
 Dunlin, 213

# E

Eagle, Bald, 104, 112, 358-360  
   Golden, 112, 114  
 Earhart, Caroline M., and Ned K. Johnson, Size dimorphism and food habits of North American owls, 251-264  
 Easterla, David A., and Wally George, Marbled Godwit and Yellow-throated Warbler in Colombia, South America, 473  
 Eddinger, C. Robert, The White-eye as an inter-specific feeding helper, 240  
 Egret, Cattle, 62, 105  
   Common, 407-408, 413-416  
   Great, 105  
   Snowy, 407  
 Eider, King, 110  
   Spectacled, 110  
 Eisenmann, E., and F. Haverschmidt, Northward migration to Surinam of South American martins (*Progne*), 368-369  
 Elaenia, Caribbean, 485  
 Elaenia chiriquensis, 46  
   martinica, 485  
 Elanus leucurus, 463  
 Emerald, Fork-tailed, 4  
 Empidonax albigularis, 105  
   fulvifrons, 328  
   hammondi, 364-365  
   oberholseri, 184, 186, 364-365  
   traillii, 29  
   wrightii, 364  
 Enderson, James H., Frank A. Colley, and John Stevenson, Aerial eagle count in Colorado, 112  
 Eophona personata magnirostris, 479  
 Eremophila alpestris, 113, 244  
 Eremopterix verticalis, 265  
 Ereunetes pusillus, 167  
 Erickson, C. W., see Johns, J. E., and —  
 Erithacus svecica weigoldi, 479  
 Erolia alpina, 213  
   maritima, 45  
   mauri, 112  
   melanotos, 167, 213, 242  
   minutilla, 104, 167  
   ruficollis, 167  
 Escalante, Rodolfo, Notes on the Cayenne Tern in Uruguay, 89-94  
 Estrilda amandava, 192  
   troglodytes, 125  
 Eugenes fulgens, 328  
 Euphagus carolinus, 103  
   cyanocephalus, 15, 57, 457  
 Eurostopodus, 332  
 Eurylaimidae, 424, 428  
 Eurylaimus javanicus, 428  
   steerei, 428  
 Eurypyga helias, 45

# F

Falco, 256  
   cenchröides, 45  
   columbarius, 104  
   jagger, 113  
   mexicanus, 113  
   pelegrinoides, 113

- peregrinus, 104, 113, 362, 375, 463  
 peregrinus anatum, 375  
 peregrinus pealei, 375  
 rusticolus, 104, 113  
 sparverius, 166, 184, 200, 463, 476  
 tinunculus, 476  
 Falcon, Barbary, 113  
   Lanner, 113  
   Peregrine, 104, 113-115, 362, 375-376, 463  
   Prairie, 113  
 Falconiformes, 166, 251, 256, 323  
 Feduccia, J. Alan, Variation in avian plasma proteins, 498-499  
 Fieldfare, 480  
 Finch, 194  
   Arctic Rosy, 479  
   Cassin, 184-186  
   Cutthroat, 265  
   Gouldian, 424  
   House, 99-100, 102, 115-116, 201, 240, 244, 269, 271-272, 289, 328, 418, 432, 475  
   Kona, 238  
   Slaty, 105  
   Zebra, 50-51, 53, 58, 61, 125, 128-129, 265, 272-273, 289-292, 473  
 Finch-lark, Grey-backed, 265, 271  
 Flamingo, Chilean, 119  
 Flicker, Red-shafted, 184-186, 188, 199, 328, 418, 457  
   Yellow-shafted, 173  
 Flycatcher, Ash-throated, 327-328, 432  
   Bran-colored, 105  
   Buff-breasted, 328, 330  
   Hammond's, 364-365  
   Mouse-colored, 374-375  
   Olivaceous, 328  
   Olive-sided, 184, 186, 243  
   Scissor-tailed, 109  
   Tody, 375  
   Traill's, 29  
   Vermilion, 428, 488  
   Western (?), 350  
   White-throated, 105  
 Forpus passerinus, 374  
 Forsythe, Dennis M., Vocalizations of the Long-billed Curlew, 213-224  
 Fowl, Domestic, 222  
 Fox, Edward L., see Lustick, Sheldon, and —  
 Francolinus sephaena, 165, 166  
 Fratercula corniculata, 167  
 Fregatidae, 251  
 Fregetta tropica, 361  
 Fringilla coelebs, 159, 222  
 Fringillidae, 19  
 Frogmouth, Little Papuan or Marbled, 332, 335  
   Tawny, 332  
 Frost, Herbert H., see Smith, Dwight G., and —  
 Fruitcrow, Purple-throated, 425  
   Red-ruffed, 424  
 Fruit-eater, Red-banded, 426  
 Fulica americana, 151, 165-166, 291, 316  
 Fulmar, 82, 341-344, 350, 352, 355-356  
 Fulmarus glacialis, 82, 110  
   glacialoides, 82

## G

- Gadwall, 104  
 Galliformes, 166  
 Gallinula chloropus, 151  
 Callus domesticus, 166  
   gallus, 43, 222  
 Cavia immer, 104, 376  
   stellata, 45, 104, 166  
 Caviiformes, 166  
 Celochelidon nilotica, 460, 484  
 Geococcyx californianus, 167, 243, 432, 475  
 George, Wally, see Easterla, David A., and —  
 Geothlypis, 95, 97  
   nelsoni, 97  
   nelsoni karlena, 97  
   speciosa, 95, 96, 97  
   speciosa limnatis, 95, 96, 97  
   speciosa speciosa, 95, 96, 97  
   trichas, 97  
   trichas modesta, 97  
 Gerstenberg, R. H., and Stanley W. Harris, A California specimen of the Bar-tailed Godwit, 112  
 Gerstenberg, R. H., see Harris, Stanley W., and —  
 Gibson, Daniel D., Recent observations at the base of the Alaska Peninsula, 242-243  
 Gill, Frank B., Hybridization in Norfolk Island White-eyes (Zosterops), 481-482  
 Glading, Ben, and Charlotte H. Glading, An instance of a captive Turkey Vulture killing prey, 244-245  
 Glading, Charlotte H., see Glading, Ben, and —  
 Glaucidium, 262  
   brasilianum cactorum, 257  
   brasilianum ridgwayi, 252-256, 259  
   gnoma, 259  
   gnoma californicum, 253-255, 257-258  
   gnoma grinnelli, 253, 255-258  
   gnoma swarthi, 257-258  
 Gnatcatcher, Black-tailed, 432  
   Blue-gray, 328  
 Godwit, Bar-tailed, 112, 242  
   Hudsonian, 242, 362, 366  
   Marbled, 112, 242, 366, 473  
 Goldeneye, Barrow's, 102  
   Common, 102, 104, 474  
 Goldfinch, American, 419  
   European, 429  
 Goose, Canada, 61, 104, 147, 154, 156, 350  
   Emperor, 104  
   Ross', 474  
   Snow, 474  
   White-fronted, 474  
 Goshawk, 103, 184, 255  
 Grackle, Boat-tailed, 238  
   Common, 238  
   Great-tailed, 238  
 Graculus, 293  
 Grassquit, Blue-black, 61  
 Grebe, Eared, 376  
   Horned, 104, 376  
   Red-necked, 104  
   Silvery, 361  
   Western, 373, 376  
 Greenshank, 222  
 Grosbeak, Black-headed, 328  
   Blue, 501  
   Evening, 61, 184  
   Japanese, 479  
 Ground-tyrant, Cinnamon-bellied, 363  
 Grouse, Blue, 437-443  
   Red, 441  
   Ruffed, 441  
 Gruiformes, 165-166  
 Grus americana, 246  
   canadensis, 104, 166  
 Guan, Piping, 106



- Guillemot, Pigeon, 104, 111  
 Gull, Black-headed, 21, 484, 485  
     Bonaparte's, 104, 485  
     California, 134, 215, 463  
     Franklin's, 484-485  
     Glaucous, 110, 111  
     Glaucous (?), 350, 353  
     Glaucous-winged, 104, 110, 134, 341-344, 350, 353-356  
     Gray, 120  
     Gray-hooded, 119  
     Herring, 134, 242, 341-344, 349-350, 354-356, 370, 484  
     Ivory, 110, 111  
     Mew, 104  
     Ring-billed, 215, 463, 484  
     Sabine's, 104  
     Western, 133-137, 139, 354  
 Cygus alba, 460  
 Cyrfalcon, 104, 113, 114

# H

- Haematopus leucopodus, 363  
     ostralegus, 222  
 Haliaeetus leucocephalus, 104, 112, 358  
     vocifer, 166  
 Hammer, W. M., and R. J. Barfield, Ineffectiveness of pineal lesions on the testis cycle of a finch, 99-101  
 Hancock, David, New Rhinoceros Auklet colony for British Columbia, 491  
 Hand, Ralph L., House Finches (Carpodacus mexicanus) in Montana, 115-116  
 Hansen, Charles C., see Banks, Richard C., and —  
 Hardy, John William, Duplex nest construction by Hooded Oriole circumvents cowbird parasitism, 491  
 Harrier, Australian, 245  
     Marsh, 245  
     Montagu's, 245  
 Harris, Bruce K., Specimen records for South Dakota birds, 243-244  
 Harris, Michael P., The biology of an endangered species, the Dark-rumped Petrel (Pterodroma phaeopygia), in the Galápagos Islands, 76-84  
 Harris, Stanley W., and R. H. Gerstenberg, Common Teal and Tufted Duck in northwestern California, 108  
 Harris, Stanley W., see Gerstenberg, R. H., and —  
 Havens, Phillip D., Aberration in the clutch size of the Semipalmated Plover, 481  
 Haverschmidt, F., Notes on the Royal Tern in Surinam, 246  
 Haverschmidt, F., Wattled Jacana caught by an Anaconda, 364  
 Haverschmidt, F., Notes on the life history of the Mouse-colored Flycatcher in Surinam, 374-375  
 Haverschmidt, F., see Eisenmann, E., and —  
 Hawk, Cooper's, 255  
     Galápagos, 82  
     Marsh, 104, 215, 245  
     Pigeon, 104  
     Red-tailed, 184, 200, 418, 420, 463  
     Rough-legged, 104, 114  
     Sharp-shinned, 218, 255  
     Sparrow, 184, 200, 463  
     Swainson's, 215  
 Hawk-Eagle, Black, 247

- Hawk-owl, 257  
 Heckenlively, Donald B., Song in a population of Black-throated Sparrows, 24-36  
 Heliomaster, 3, 7, 9  
     constantii, 4-8, 10-11  
 Helms, Carl W., see Kuenzel, Wayne J., and —  
 Hemignathous wilsoni, 240  
 Hen, Sage, 165, 168  
 Hendrickson, Herbert T., see Sibley, Charles G., and —  
 Heppner, Frank, The metabolic significance of differential absorption of radiant energy by black and white birds, 50-59  
 Hermit, Little, 3  
 Heron, Black-crowned Night, 407  
     Great Blue, 407-416  
     Great White, 411  
     Green, 105, 407-408  
     Grey, 410-411, 413  
 Hesperiphona vespertina, 61, 184  
 Heteroscelus incanum, 104, 167  
 Hilty, Steven, see Leck, Charles F., and —  
 Histrionicus histrionicus, 104  
 Horn, Henry S., Social behavior of nesting Brewer's Blackbirds, 15-23  
 Huber, Lawrence N., see Crossin, Richard S., and —  
 Hughes, Maryanne Robinson, Relative kidney size in nonpasserine birds with functional salt glands, 164-168  
 Hummingbird, Allen's, 209, 211  
     Anna's, 177, 201, 203  
     Black-chinned, 209-211, 327-330  
     Blue-throated, 328, 330  
     Blue-vented, 4  
     Broad-tailed, 234, 327-329  
     Calliope, 184, 234  
     Cinnamon, 4  
     Costa's, 432-433  
     Rivoli's, 328  
     Ruby-throated, 5  
     Rufous-tailed, 5, 184  
     Scaly-breasted, 3  
 Hydroprogne caspia, 167, 460, 485  
 Hylocichla, 457  
     fuscescens, 116  
     guttata, 104, 184, 243  
     minima, 116, 243  
     mustelina, 458  
     ustulata, 116, 243

# I

- Icterus bullockii, 432, 501  
     cucullatus, 328, 491  
     galbula, 491  
     parisorum, 328  
     spurius, 109  
 Iridophrane, 429  
 Iridoprocne bicolor, 103, 184  
 Irving, Laurence, C. Peter McRoy, and John J. Burns, Birds observed during a cruise in the ice-covered Bering Sea in March 1968, 110-112  
 Ixoreus naevius, 243, 419, 452, 454-456

# J

- Jacana jacana, 364  
 Jacana, Wattled, 364  
 Jacu, 106  
 Jaeger, Long-tailed, 342-343, 350, 353, 366  
     Parasitic, 104

- Jay, Black-chested, 248  
 Mexican, 327-328  
 Scrub, 199, 201, 328, 418, 456-457, 475  
 Steller's, 184, 186, 199-201, 418
- Jehl, Joseph R., Jr., A Mexican specimen of the Yellow-billed Loon, 376
- Jenkinson, Marion Anne, and Robert M. Mengel, Ingestion of stones by Goatsuckers (Caprimulgidae), 236-237
- Johns, J. E., and C. W. Erickson, Breeding of free-living Trumpeter Swans in northeastern Washington, 377-378
- Johnsgard, Paul A., A summary of intergeneric new world quail hybrids, and a new intergeneric hybrid combination, 85-88
- Johnson, Ned K., see Earhart, Caroline M., and —
- Johnson, Oscar W., and John N. Mugaas, Quantitative and organizational features of the avian renal medulla, 288-292
- Junco, Mexican, 29, 34  
 Oregon, 29, 184-186, 200, 419, 457  
 Slate-colored, 466
- Junco hyemalis, 370, 466  
 oregonus, 29, 184, 200, 419, 457  
 oregonus mearnsi, 475  
 phaeonotus, 29

## K

- Keith, Allan R., Bird observations from Tierra del Fuego, 361-363
- Kendeigh, S. Charles, Energy requirements for existence in relation to size of bird, 60-65
- Kestrel, American, 476  
 European, 476
- Killdeer, 245
- Killpack, Merlin L., Notes on Sage Thrasher nestlings in Colorado, 486-488
- Kingbird, Cassin's, 328  
 Western, 328, 432
- Kingfisher, Belted, 104
- Kinglet, Golden-crowned, 184-186, 188, 419  
 Ruby-crowned, 184, 199-200, 419
- Kite, Everglade, 492, 493  
 White-tailed, 463
- Kittiwake, Black-legged, 104, 111, 134, 355
- Kuenzel, Wayne J., and Carl W. Helms, Hyperphagia, polydipsia, and other effects of hypothalamic lesions in the White-throated Sparrow, Zonotrichia albicollis, 66-75

## L

- Lagger, 113
- Lagopus lagopus, 104, 166  
 lagopus scoticus, 441
- Lampornis clemenciae, 328
- Lampronetta fischeri, 110
- Lance, A. N., Movements of Blue Grouse on the summer range, 437-444
- Landolt, Marsha, see Payne, Robert B., and —
- Lanius excubitor, 104  
 ludovicianus, 17, 432
- Lapwing, 245
- Laridae, 321
- Lark, Desert, 476-478  
 Horned, 113, 244  
 Stark's, 265, 271, 273
- Larus, 359  
 argentatus, 134, 242, 353, 370, 484  
 atricilla, 484  
 canus, 104

- cirrocephalus, 119-122
- delawarensis, 107, 215, 463, 484
- glaucescens, 104, 110, 134, 167, 353
- heermanni, 167
- hyperboreus, 110, 353
- modestus, 120
- occidentalis, 133-134, 136-137, 139, 167, 354
- philadelphus, 104, 167
- pipixcan, 167, 484
- ridibundus, 21, 484
- Lasiewski, Robert C., William R. Dawson, and George A. Bartholomew, Temperature regulation in the Little Papuan Frogmouth, Podargus ocellatus, 332-338
- Leck, Charles F., and Steven Hilty, New and interesting records from the Chiriquí highlands of Panamá, 105
- Leptotylas cruminiferus, 166
- Leucophoyx thula, 407
- Leucosticte, 113  
 arctoa brunneonucha, 479
- Ligon, J. David, Still more responses of the Poor-will to low temperatures, 496-498
- Lill, Alan, Nidification in the Channel-billed Toucan (Ramphastos vitellinus) in Trinidad West Indies, 235-236
- Limnodromus griseus, 112, 242  
 scolopaceus, 167
- Limosa fedoa, 112, 167, 242, 366, 473  
 haemastica, 242, 366  
 lapponica, 242  
 lapponica baueri, 112
- Littlefield, Carroll D., A Marsh Hawk roost in Texas, 245
- Lobipes lobatus, 104, 363
- Locke, Louis N., see Uhler, Francis M., and —
- Longspur, Chestnut-collared, 244  
 Lapland, 104
- Loon, Common, 104, 376  
 Red-throated, 104  
 Yellow-billed, 376
- Lophodytes, 160  
 cucullatus, 150, 242, 474
- Lophortyx, 85-87  
 californicus, 85, 276, 457  
 douglasii, 85  
 gambelii, 85, 166, 222, 244, 283, 432, 445, 475  
 leucoproson, 87
- Lophortyx × Colinus, 86
- Lophortyx × Oreortyx, 85
- Loxia curvirostra, 130, 243, 272, 429  
 leucoptera, 130, 243  
 leucoptera bifasciata, 479
- Loxops virens virens, 238
- Lunda cirrhata, 167, 491
- Lurocalis semitorquatus, 237
- Lustick, Sheldon, Sharon Talbot, and Edward L. Fox, Absorption of radiant energy in Redwinged Blackbirds (Agelaius phoeniceus), 471-473
- Lynch, James F., and Peter L. Ames, A new hybrid hummingbird, Archilochus alexandri × Selasphorus sasin, 209-212
- Lynch, James F., see Bock, Carl E., and —

## M

- MacLean, Stephen F., Jr., Social stimulation modifies the feeding behavior of the American Robin, 499-500
- MacRoberts, Michael H., Notes on the food habits and food defense of the Acorn Woodpecker, 196-204



- Magpie, Black-billed, 104, 445, 449  
 Yellow-billed, 104, 445, 449  
 Mallard, 104, 150, 206-207, 321, 446  
 Manakin, Crimson-hooded, 428  
 Helmeted, 428  
 Mango, Green-breasted, 4  
 Manuwal, David A., Notes on the territoriality of  
 Hammond's Flycatcher (*Empidonax ham-*  
*mondi*) in western Montana, 364-365  
 Mareca americana, 104  
 Marshall, David B., Chestnut-sided Warbler in Wash-  
 ington, 246  
 Marshall, Shirley G., see Child, George I., and —  
 Martin, Black-backed, 368  
 Gray-breasted, 368  
 Southern, 368  
 Martin, Stephen G., The agonistic behavior of Varied  
 Thrushes (*Ixoreus naevius*) in winter as-  
 semblages, 452-459  
 Maxwell, Terry C., see Arnold, Keith A., and —  
 McCaskie, Guy, Occurrence of the eastern species of  
*Oporornis* and *Wilsonia* in California, 373-  
 374  
 McRoy, C. Peter, see Irving, Laurence, and —  
 Meadowlark, Eastern or Common, 305  
 Megascyle alcyon, 104, 167  
 Melanerpes, 173, 313  
 cruentatus, 313  
 erythrocephalus, 170, 196, 313  
 formicivorus, 167, 196, 204, 313, 328  
 (*Trichopicus*) cactorum, 313  
 Melanitta deglandi, 166  
 perspicillata, 359, 474  
 Meleagris alta, 151  
 gallopavo, 45, 150-151, 328  
 tridens, 151  
 Melospittacus undulatus, 21, 167, 265, 289-290  
 Melospiza lincolni, 29  
 melodia, 29, 95, 222, 370, 418, 457  
 melodia adjusta, 97  
 melodia juddi, 288-290  
 melodia villai, 97  
 melodia yuriria, 97  
 melodia zacapu, 97  
 Mengel, Robert M., see Jenkinson, Marion Anne,  
 and —  
 Merganser, Hooded, 150, 242, 474  
 Red-breasted, 104, 242  
 Mergus serrator, 104, 150, 166, 242  
 Mesophox intermedium, 166  
 Micrathene whitneyi, 167, 253, 255, 257, 328  
 whitneyi sanfordi, 252-253, 255  
 Micropalama himantopus, 484  
 Milvago chimachima, 105  
 Mimus polyglottos, 328, 432, 475, 501  
 Mitu, 108  
 Mockingbird, 328, 432-433, 475, 501  
 Moldenhauer, Ralph R., and John A. Wiens, The  
 water economy of the Sage Sparrow, *Am-*  
*phispiza belli nevadensis*, 265-275  
 Molothrus, 501  
 ater, 184, 328, 419, 432, 457, 500  
 ater obscurus, 491  
 badius, 500  
 rufoaxillaris, 500  
 Montaque, 245  
 Morony, John J., Jr., see Short, Lester L., and —  
 Mousebird, Speckled, 141, 145-146  
 Mugaas, John N., and James R. Templeton, Thermo-  
 regulation in the Red-breasted Nuthatch  
 (*Sitta canadensis*), 125-132

- Mugaas, John N., see Johnson, Oscar W., and —  
 Munia, Black-headed, 194  
 Chestnut-bellied, 192, 194  
 Lal, 192, 194  
 Spotted, 192  
 Munia atricapilla, 192  
 malacca, 194  
 Murray, Bertram G., Jr., A redescription of two *Plio-*  
*cene* cormorants, 293-298  
 Murre, Common (?), 355, 359  
 Murrelet, Marbled, 104  
 Muscisaxicola, 488-490  
 capistrata, 363  
 Muscivora forficata, 37-42, 109  
 Myadestes townsendi, 184, 418  
 Mycateria americana, 62  
 Myiarchus cinerascens, 328, 432  
 crinitus, 46  
 tuberculifer, 328  
 Myioborus torquatus, 499  
 Myiodynastes maculatus, 46  
 Myiophobus fasciatus, 105  
 Myiozetetes similis, 46  
 Myrcha, Andrzej, and Jan Pinowski, Weights, body  
 composition, and caloric value of postjuvinal  
 molting European Tree Sparrows (*Passer*  
*montanus*), 175-181

## N

- Narver, David W., Birds of the Chignik River drain-  
 age, Alaska, 102-105  
 Neochen, 148-150  
 jubata, 148-149, 151  
 Neomorphus geoffroyi, 106  
 Netta peposaca, 362  
 Nighthawk, Common, 184, 228  
 Least, 237  
 Lesser, 225, 432  
 Texas, 237  
 Nightjar, European, 237, 496, 498  
 Niles, David M., A record of clutch size and breeding  
 in New Mexico for the Bronzed Cowbird,  
 500-501  
 Nothocrex, 108  
 urumutum, 107  
 Nothoprocta perdicaria, 45  
 Notiochelidon cyanoleuca, 363  
 Nucifraga columbiana, 184  
 Numenius americanus, 213, 218, 222-223  
 americanus parvus, 215  
 arquata, 218, 223  
 phaeopus, 242, 372  
 tahitiensis, 372  
 Numida meleagris, 166  
 Nutcracker, Clark, 184  
 Nuthatch, Brown-headed, 129  
 Pigmy, 129, 184-186, 328  
 Red-breasted, 125-131, 186, 243, 419  
 White-breasted, 169-173, 184-186, 199-200, 328,  
 418  
 Nuttallornis borealis, 184, 243  
 Nyctea scandiaca, 111, 252-255, 257, 259  
 Nycticorax nycticorax, 166, 407  
 Nyctidromus, 332  
 albicollis, 237

## O

- Oceanodroma, 375  
 castro, 82  
 furcata, 104, 352, 375

- leucorhoa, 353, 375  
leucorhoa beali, 353  
Ochthoeca, 490  
Odontophorus capueira, 106  
Oidemia nigra, 104  
Oldsquaw, 110  
Oliver, William W., The feeding patterns of sap-suckers on ponderosa pine in northeastern California, 241  
Olor buccinator, 377  
columbianus, 104, 474  
Olson, Storrs L., Specializations of some carotenoid-bearing feathers, 424-430  
Oniki, Yoshika, Roosting behavior of three species of woodcreepers (Dendrocolaptidae) in Brazil, 233  
Onychorhynchus mexicanus, 46  
Oporornis agilis, 373  
formosus, 373  
philadelphia, 373  
tolmiei, 184, 419  
Oreortyx, 85-87  
picta, 85, 184  
Oreoscoptes montanus, 486  
Oriole, Baltimore, 491  
Bullock's, 432, 501  
Hooded, 328, 491  
Orchard, 109  
Scott's, 327-328  
Oriolus chinensis, 45  
Orr, Yosef, Temperature measurements at the nest of the Desert Lark (Ammomanes deserti deserti), 476-478  
Osprey, 103, 114, 115  
Ostrich, 164-165, 337  
Otus asio, 167, 256-257, 259, 262, 328  
asio bendirei, 253-255, 257, 259-260  
asio cineraceus, 252-255, 257, 259-260  
asio inyoensis, 252-255  
asio kennicottii, 253-255, 257, 259-260  
asio maccalli, 254-255  
asio macfarlanei, 257  
asio naevius, 252-255, 257, 260  
asio quercinus, 253-255, 257, 259-260  
asio suttoni, 253-255  
flammeolus flammeolus, 109, 252-257, 259  
trichopsis aspersus, 252-253, 255, 257  
trichopsis trichopsis, 254-256  
Ovenbird, 367  
Owen, Ray B., Jr., The bioenergetics of captive Blue-winged Teal under controlled and outdoor conditions, 153-163  
Owl, Barn, 256, 261, 463, 492  
Barred, 257  
Boreal, 258, 260  
Burrowing, 257, 262  
Elf, 257, 261, 328  
Ferruginous, 257  
Flammulated, 109, 257, 261-262  
Great Gray, 258  
Great Horned, 103, 184, 255, 257, 418, 420  
Long-eared, 252, 258, 260-261  
Pygmy, 257-260, 262  
Saw-whet, 258, 260  
Screech, 252, 257, 260-262, 328  
Short-eared, 77, 82, 104, 258, 260-261, 363, 463  
Snowy, 111, 257, 261  
Spotted, 258  
Oxyura jamaicensis, 166, 370  
Oystercatcher, European, 222  
Magellanic, 362  
Pagodroma nivea, 82  
Pagophila eburnea, 110, 111  
Palila, 238-240  
Pandion haliaetus, 103, 114  
Panyptila sanctihieronymi, 108  
Parapavo californicus, 151  
Parrotlet, Green-rumped, 374  
Partridge, Chukar, 222-223, 280  
Desert, 168  
Parula americana, 116  
Parus atricapillus, 104, 222, 418, 496  
caeruleus, 482  
cyanus, 482  
gambeli, 184, 496  
inornatus, 199-201, 328, 496  
nollweberi, 328  
Passer domesticus, 45, 61, 129, 176, 206, 240, 337, 363, 370, 449, 457, 466, 475, 492  
montanus, 175  
Passerculus sandwichensis, 104, 272, 370  
sandwichensis beldingi, 289, 290  
sandwichensis brooksi, 289  
sandwichensis nevadensis, 289, 290  
Passerella iliaca, 104, 184, 369-370, 418, 457  
iliaca fulva, 369-370  
iliaca megarhyncha, 369-370  
iliaca schistacea, 369  
Passeriformes, 64  
Passerina amoena, 184, 419  
cyanea, 116  
Pauraque, 237  
Pauxi, 108  
Payne, Robert B., and Marsha Landolt, Thyroid histology of Tricolored Blackbirds (Agelaius tricolor) in the annual cycle, breeding, and molt, 445-461  
Pedioecetes phasianellus, 166  
Pelecaniformes, 166, 316  
Pelecanus erythrorhynchos, 166  
Pendergast, Esther, see Barlow, Jon C., and —  
Penelope superciliosa, 106  
Perdix perdix, 166, 179  
Petrel, Barau's, 83  
Beal's, 353  
Capped, 83  
Cook's, 83  
Dark-rumped, 76-83  
Fork-tailed, 104, 341-344, 350, 352, 355-356, 375  
Great-winged, 80  
Hawaiian, 76  
Jamaica, 83  
Kermadec, 80, 83  
Leach's, 341-344, 350, 353, 355-356, 375  
Madeiran Storm, 82  
Mottled, 83  
Phoenix, 80, 83  
Silver-grey, 82  
Snow, 82  
Soft-plumaged, 83  
Solander's, 83  
Storm, 343-344, 375, 376  
White-necked, 83  
Petrochelidon pyrrhonota, 184  
Pewee, Wood, 29  
Western Wood, 184, 186, 327-328, 419, 422  
Phaeochroa, 3, 9, 12  
cuvierii, 3-7, 9-13  
Phaeomyias murina, 374-375

- Phaethon aethereus*, 483  
   *lepturus*, 83, 483  
   *lepturus ascensionis*, 483  
   *lepturus catesbyi*, 483  
   *rubricauda*, 483  
*Phaethornis*, 3, 8  
   *longuemareus*, 3-8  
*Phainopepla*, 432-433  
   *nitens*, 432  
*Phalacrocorax auritus*, 291, 293-298  
   *idahensis*, 293-298  
   *kennelli*, 293-298  
   *macer*, 296-298  
   *macer brodkorb*, 293, 296  
   *macropus*, 293  
   *pelagicus*, 104, 166  
   *urile*, 242  
   *wetmorei*, 296, 297  
*Phalaenoptilus*, 332  
   *nuttalli*, 184, 225, 237, 328, 432, 496-497  
*Phalarope*, Northern, 104, 363  
   Red, 363  
   Wilson's, 363  
*Phalaropus fulicarius*, 363  
*Phasianus colchicus*, 61, 166, 205, 279, 418  
   *versicolor*, 61  
*Pheasant*, Japanese Green, 61  
   Reeves, 61  
   Ring-necked, 61, 205-207, 279-280, 283-285, 418, 420  
*Phaeucticus melanocephalus*, 328  
*Philacte canagica*, 104  
*Phillips*, Allan R., see Dickerman, Robert W., and —  
*Philortyx*, 85, 87  
*Phlogothraupis sanguinolenta*, 426, 428  
*Phoebe*, Eastern, 29  
*Phoenicircus*, 425  
   *carnifex*, 425, 426  
   *nigricollis*, 426  
*Phoeniconaias minor*, 165-166  
*Phoenicopteriformes*, 479  
*Phoenicopterus chilensis*, 119  
   *ruber*, 165  
*Pica nuttalli*, 53  
   *pica*, 104, 377, 445, 449  
*Picidae*, 314, 428  
*Piciformes*, 167  
*Picoides arcticus*, 184  
*Picus viridus*, 429  
*Pigeon*, Band-tailed, 418  
   Cape, 82  
   Red-billed, 371  
*Pinowski*, Jan, see Myrcha, Andrzej, and —  
*Pintail*, 104, 150, 321, 449  
*Pipile jacutinga*, 106  
*Pipilo aberti*, 432  
   *erythrophthalmus*, 29, 187, 199, 328, 370, 418, 457  
   *fuscus*, 29, 201, 203, 328, 475  
*Pipit*, Sprague's, 244  
   Water, 104, 244  
*Pipra aureola*, 428  
*Pipreola whitleyi*, 426  
*Pipridae*, 428  
*Pipromorpha oleaginea*, 46  
*Piranga flava*, 230, 328  
   *ludoviciana*, 184, 200, 419  
   *rubra*, 116, 230  
   *rubra cooperi*, 230-232  
   *rubra ochracea*, 232  
   *rubra rubra*, 230-232  
*Plautus alle alle*, 167  
*Plectrophenax hyperboreus*, 111  
   *nivalis*, 111  
*Ploceidae*, 19  
*Ploceus philippinus*, 190  
*Plover*, Black-bellied, 242  
   Semipalmated, 104, 481  
*Pochard*, Rosy-billed, 362  
*Podager nacunda*, 237  
*Podargus ocellatus*, 332-338  
   *strigoides*, 332, 337  
*Podiceps auritus*, 104, 376  
   *caspicus*, 166, 376  
   *grisegena*, 104  
   *occipitalis*, 361  
*Podicipediformes*, 166  
*Podilymbus podiceps*, 166  
*Poephila castanotis*, 50, 58  
   *gouldiae*, 424  
*Poliophtila caerulea*, 328  
   *melanura*, 432  
*Poecetes gramineus*, 29, 487  
*Poor-will*, 184, 225, 237, 328, 432, 496-497  
*Porphyrolaema*, 429  
   *porphyrolaema*, 426  
*Porzana carolina*, 165-166  
*Power*, Dennis M., Geographic variation in the surface/volume ratio of the bill of Red-winged Blackbirds in relation to certain geographic and climatic factors, 299-304  
*Pratt*, Helen M., Breeding biology of Great Blue Herons and Common Egrets in central California, 407-416  
*Procellariiformes*, 80-82, 84, 166  
*Progne chalybea chalybea*, 368  
   *chalybea domestica*, 368-369  
   *domestica elegans*, 368  
   *modesta*, 369  
   *modesta elegans*, 368  
   *murphyi*, 369  
*Psaltiriparus minimus*, 328, 418  
*Pseudogyps africanus*, 166  
*Psittaciformes*, 167  
*Psittirostra bailliei*, 238  
*Ptarmigan*, Willow, 104  
*Pterodroma alba*, 83  
   *barau*, 83  
   *caribbaea*, 83  
   *cooki*, 83  
   *externa*, 83  
   *hasitata*, 83  
   (*hasitata*) *cahon*, 82  
   *inexpecta*, 83  
   *mollis*, 83  
   *neglecta*, 83  
   *phaeopygia*, 76, 83  
   *phaeopygia phaeopygia*, 76  
   *phaeopygia sandwicensis*, 76  
   *solandri*, 83  
*Pteroglossus torquatus*, 371-372  
*Ptychoramphus aleutica*, 491  
*Puffin*, Tufted, 491  
*Puffinus griseus*, 166  
   *lherminieri*, 83, 366  
   *pacificus*, 77  
   *puffinus*, 82  
   *subalaris*, 366  
   *tenuirostris*, 82  
*Pyrocephalus rubinus*, 428, 488, 490

- Pyroderus, 429  
 scutatus, 424-425, 428  
 Pyrrhula pyrrhula, 175, 450

## Q

- Quail, Bobwhite, 283  
 California, 84-87, 276-286, 456-457  
 Douglas, 85-87  
 Gambel, 85-87, 222, 244, 283, 285, 432, 445, 475  
 Harlequin, 328  
 Japanese, 99  
 Mountain, 85-86, 184  
 Scaled, 85, 87  
 Scaled  $\times$  California, 87  
 Querula, 429  
 purpurata, 424-425  
 Quiscalus major, 328  
 mexicanus, 37-38, 238  
 quiscalus, 238

## R

- Rail, Guam, 316-323  
 Sora, 165  
 Rallidae, 316, 322-324  
 Rallus, 151  
 owstoni, 316  
 Ramphastos vittellinus, 235-236  
 Ramsey, Jed J., Temperature changes in Chimney Swifts (*Chaetura pelagica*) at lowered environmental temperatures, 225-229  
 Raven, Common, 104, 113  
 Rayadito, Thorn-tailed, 363  
 Rea, Amadeo M., Status of the Summer Tanager on the Pacific slope, 230-233  
 Recurvirostra avosetta, 222  
 Red-Cotinga, Black-necked, 426  
 Guianan, 425  
 Redpoll, Common, 61, 104, 125, 128  
 Hoary, 61, 125, 128  
 Redstart, Painted, 328  
 Regulus calendula, 184, 199-200, 419  
 satrapa, 184, 419  
 Retfalvi, Laszlo, Food of nesting Bald Eagles on San Juan Island, Washington, 358-361  
 Richards, Gerald L., American Kestrel, *Falco sparverius*, exhibits relic nest building behavior, 476  
 Richmondia cardinalis, 33, 370  
 Riparia riparis, 104  
 Rissa tridactyla, 104, 111, 134, 355  
 Roadrunner, 244, 431-432, 475-476  
 Robin, 184-188, 206-207, 243, 328, 330, 418, 456-457, 459, 499-500  
 Roseneau, David G., see White, Clayton M., and —  
 Rostrhamus sociabilis, 492  
 Rupicola, 429  
 rupicola, 424, 428

## S

- Sanderling, 362-363  
 Sandpiper, Baird's, 362  
 Buff-breasted, 243  
 Least, 104  
 Pectoral, 213, 242  
 Spotted, 343, 350, 353  
 Stilt, 484  
 Western, 112  
 White-rumped, 362  
 Sands, James L., First record of the Black Brant (*Branta nigricans*) for New Mexico, 110

- Sanger, Gerald A., The seasonal distribution of some seabirds off Washington and Oregon, with notes on their ecology and behavior, 339-357

- Sapsucker, Red-breasted, 241, 312-314  
 Red-naped, 310, 312-314  
 Williamson's, 184-186, 241, 310-312  
 Williamson's  $\times$  Red-naped, 310, 314  
 Yellow-bellied, 184-186, 241, 312-313, 418  
 Sarcorampus papa, 247-248  
 Sayornis nigricans, 488-490  
 phoebe, 29, 46, 488  
 saya, 490  
 Scardafella inca, 145, 167, 271  
 Scaup, Greater, 108  
 Lesser, 108, 370-371  
 Schreiber, Ralph W., Breeding biology of Western Gulls (*Larus occidentalis*) on San Nicolas Island, California, 1968, 133-140  
 Schwab, Robert G., Light-induced prolongation of spermatogenesis in the European Starling, *Sturnus vulgaris*, 466-470  
 Scolopacidae, 224  
 Scoter, Common, 104  
 Surf, 359, 474  
 White-winged, 104  
 Seedeater, Variable, 61  
 Yellow-bellied, 61  
 Seiurus aurocapillus, 367  
 Selander, Robert K., Parental feeding in a male Great-tailed Crackle, 238  
 Selasphorus, 209  
 platycercus, 167, 234, 328  
 rufus, 167, 184, 209  
 sasin, 209-212  
 Setophaga picta, 328  
 Shearwater, Audubon's, 82, 366  
 Manx, 82  
 Short-tailed, 82  
 Wedge-tailed, 77  
 Sheldgoose, 147, 151  
 Short, Lester L., Jr., Mid-Pleistocene birds from western Nebraska, including a new species of Sheldgoose, 147-152  
 Short, Lester L. [Jr.], and John J. Morony, Jr., A second hybrid Williamson's  $\times$  Red-naped Sapsucker and an evolutionary history of sapsuckers, 310-315  
 Shoveller, 150  
 Red, 361  
 Shrike, Loggerhead, 17, 432  
 Northern, 104  
 Sialia currucoides, 184, 498  
 mexicana, 200, 418  
 sialis, 328  
 Sibley, Charles G., and Herbert T. Hendrickson, A comparative electrophoretic study of avian plasma proteins, 43-49  
 Sibley, Fred C., Winter wing molt in the Western Grebe, 373  
 Sick, Helmut (with comments by D. Amadon), Notes on Brazilian Cracidae, 106-108  
 Siskin, Pine, 184  
 Yellow-bellied, 105  
 Sitta canadensis, 125, 184, 243, 328, 419  
 carolinensis, 169, 184, 199-200, 418  
 pusilla, 129  
 pygmaea, 129, 184, 328  
 Smith, Dwight G., Charles R. Wilson, and Herbert H. Frost, Fall nesting Barn Owls in Utah, 492

- Smith, E. Linwood, Cactus Wrens attack ground squirrel, 363-364
- Smith, Neal G., Nesting of King Vulture and Black Hawk-Eagle in Panamá, 247-248
- Smith, Susan M., "Foot-trembling" feeding behavior by a Killdeer, 245
- Smith, W. John, Courtship and territorial displaying in the Vermilion Flycatcher, *Pyrocephalus rubinus*, 488-491
- Snipe, Common, 104, 223
- Snow Bunting, Common, 111  
McKay's, 111
- Snyder, Helen A., see Snyder, Noel F. R., and —
- Snyder, Noel F. R., and Helen A. Snyder, Feeding territories in the Everglade Kite, 492-493
- Soikkeli, Martti, First record of the Fieldfare on American continent, 480
- Solitaire, Townsend, 184, 186, 418
- Somateria spectabilis, 110
- Sparrow, Black-throated, 24-26, 29-35, 265, 271-273, 289-292, 433  
Brewer's, 184-186, 487  
Chipping, 184-186, 327-328, 330, 370, 419  
English, 466  
European Tree, 175-179  
Field, 61, 370  
Fox, 104, 184-186, 369-370, 418, 457  
Golden-crowned, 104, 457  
Green-backed, 61  
Harris', 101  
House, 45, 61, 129, 176, 178-179, 206-207, 240, 258, 363, 449, 457, 475-476, 492  
Lark, 29, 327-328  
Lincoln's, 29  
Nevada Savannah, 289  
Rufous-crowned, 29, 328  
Sage, 34-35, 265-274  
Savannah, 104, 272, 289, 290  
Song, 29, 33, 95, 97, 222, 288, 418, 457  
Tree, 29, 61, 370  
Vesper, 29, 487  
White-crowned, 57, 62, 104, 176, 211, 370, 449  
White-throated, 61, 66-67, 71-72, 74, 116-119, 162
- Spatula clypeata, 150
- Speotyto cunicularia, 252, 259  
cunicularia hypugaea, 252-255
- Spermestidae, 19
- Sphyrapicus nuchalis, 310-314  
ruber, 310, 312-314  
thyroideus, 167, 184, 241, 310-314  
varius, 167, 184, 198, 241, 310, 312-314  
varius ruber, 418
- Spinus pinus, 184  
tristis, 419  
xanthogaster, 104
- Spiza americana, 61
- Spizaetus tyrannus, 247-248
- Spizella arborea, 29, 61, 370  
breweri, 184, 487  
passerina, 184, 328, 370, 419  
pusilla, 61, 370
- Spizocorys starki, 265
- Spodiornis rusticus, 105  
rusticus barrilesensis, 105
- Sporophila aurita, 61  
nigricollis, 61
- Squatarola squatarola, 242
- Stafford, Mary A., see Carpenter, Roger E., and —
- Starling, 199, 457, 492  
European, 466-469
- Starthroat, Plain-capped, 5
- Steganopus tricolor, 167, 363
- Stellula calliope, 184, 234
- Stercorariidae, 251
- Stercorarius longicaudus, 353, 366  
parasiticus, 104
- Sterna albifrons, 460  
aleutica, 460  
dougallii, 460  
eurygnatha, 89, 93  
forsteri, 460, 484  
fuscata, 372, 460  
hirundinacea, 89, 363  
hirundo, 460, 484  
maxima, 246  
paradisaea, 104, 363, 460, 464  
sandvicensis acuflavida, 89  
sandvicensis eurygnatha, 89  
vittata, 363
- Stevenson, John, see Enderson, James H., and —
- Stork, Wood, 62
- Storm Petrel, Black-bellied, 361  
Madeiran, 82
- Streptopelia decaocto, 45  
risoria, 21, 271
- Strigiformes, 167, 251, 256
- Strix, 252, 262  
nebulosa nebulosa, 253-256, 258-259  
occidentalis, 253-256  
varia varia, 253-257, 259
- Struthio camelus, 164-166, 337
- Struthioniformes, 166
- Sturnella magna, 305  
magna alticola, 306, 308-309  
magna auropectoralis, 306-308  
magna griscomi, 305-306, 308  
magna hoopessi, 305, 307-309  
magna inexpectata, 306-309  
magna lilianae, 305, 307-309  
magna mexicana, 305-306, 308-309  
magna saundersi, 306, 308-309  
neglecta, 305
- Sturnus vulgaris, 113, 199, 457, 466, 469, 492
- Sula dactylatra, 484  
leucogaster, 484  
sula, 483
- Surfbird, 242
- Surnia ulula caparoch, 253-255, 257, 259
- Swallow, Bank, 104, 498  
Blue-and-white, 363  
Chilean, 363  
Cliff, 184  
Tree, 103, 184, 363  
Violet-green, 103
- Swan, Black-necked, 361  
Trumpeter, 377-378  
Whistling, 104, 474
- Swift, Chimney, 225-228  
European, 225  
Great Swallow-tailed, 108  
Vaux, 184  
White-throated, 225, 228
- Syrnaticus reevesii, 61

T

- Tachycineta bicolor, 363  
leucopyga, 363  
thalassina, 103
- Tadorna, 148-150  
casarca, 149

- Taeniopygia castanotis, 61, 125, 265, 289-290  
 Talbot, Sharon, see Lustick, Sheldon, and —  
 Tanager, Blue-gray, 375  
   Crimson-collared, 428  
   Hepatic, 328  
   Silver-beaked, 375  
   Summer, 116-119, 230-232  
 Tangavius aeneus, 500, 501  
   aeneus milleri, 501  
 Tattler, Wandering, 104  
 Taylor, Walter Kingsley, Molts of the Verdin, Auri-  
   parus flaviceps, 493-496  
 Teal, Blue-winged, 60-61, 153-162, 291  
   Cinnamon, 474  
   Common, 108  
   Green-winged, 104  
   Speckled, 361  
 Telmabates antiquus, 479-480  
   **howardae**, 479-480  
 Telmatidae, 479  
 Telmatodytes palustris griseus, 179  
 Templeton, James R., see Mugaas, John N., and —  
 Tereotriccus erythrurus, 46  
 Tern, Antarctic, 363  
   Arctic, 104, 363, 464  
   Black, 500  
   Caspian, 460-465, 485  
   Cayenne, 89-94, 485  
   Common, 484-485  
   Forster's, 484-485  
   Gray-backed, 372  
   Cull-billed, 463, 484  
   Royal, 246, 461, 483, 485  
   Sandwich, 484-485  
   Sooty, 372-373  
   South American, 363  
 Thalasseus eurygnathus, 89, 485  
   maximus, 460-461, 483  
   sandvicensis, 460, 484-485  
 Thamnophilus doliatus, 375  
 Thapliyal, J. P., and K. Bageshwar, Light responses  
   of thyroidectomized Common Weaver Birds,  
   Ploceus philippinus, 190-195  
 Thrasher, Bendire's, 366  
   Brown, 109  
   Crissal, 328, 432-433  
   Curve-billed, 244-245, 366, 475  
   Le Conte's, 432  
   Sage, 486-488  
 Thraupidae, 428  
 Thraupis episcopus, 375  
 Thrush, Gray-cheeked, 116-119, 243  
   Hermit, 104, 184-186, 243, 458  
   Red-billed, 479  
   Swainson's, 116-119, 243  
   Varied, 243, 419, 452-453, 457-459  
   Wood, 458  
 Thryomanes bewickii, 328, 418, 432  
 Thryothorus semibadius, 105  
 Thut, Rudolph N., Feeding habits of the Dipper in  
   southwestern Washington, 234-235  
 Tinamus solitarius, 106  
 Titmouse, Bridled, 327-328  
   Plain, 199-201, 203, 327-328, 496  
 Todiostrotrum, 375  
 Totanus flavipes, 242  
   melanoleucus, 104, 167, 242  
 Toucan, Channel-billed, 235-236  
 Tovar S., Humberto, and N. Philip Ashmole, A breed-  
   ing record for the Gray-hooded Gull, Larus  
   cirrocephalus, on the Peruvian coast, 119-  
   122  
 Towhee, Abert's, 432  
   Brown, 29, 201, 203, 328, 475  
   Green-tailed, 184-186  
   Rufous-sided, 29, 33, 187, 199, 328, 418, 457  
 Toxostoma bendirei, 355-367  
   curvirostre, 244, 366-367, 475  
   dorsale, 328, 432  
   lecontei, 432  
   rufum longicauda, 109  
 Tramontano, John P., Winter observations of the  
   Short-tailed Albatross in the western Pacific  
   Ocean, 122  
 Tringa melanoleuca, 362  
   nebularia, 222  
 Trochilidae, 1  
 Troglodytes aedon, 125, 184, 375  
   troglodytes, 104, 419  
 Tropicbird, White-tailed, 83, 483  
 Trost, Charles H., see Bartholomew, George A., and —  
 Tryngites subruficollis, 243  
 Turdus chrysolaus chrysolaus, 479  
   iliacus, 45  
   merula, 449  
   migratorius, 184, 206, 243, 328, 418, 457, 499  
   pilaris, 480  
 Turkey, 150, 328  
 Turnstone, Black, 104  
   Ruddy, 372, 373  
 Tyrannidae, 46, 428  
 Tyrannulus elatus, 45-46  
 Tyrannus, 41-42  
   melancholicus, 38, 41  
   tyrannus, 488  
   verticalis, 37-42, 328, 432  
   vociferans, 41, 328  
 Tyrannus × Muscivora, 37, 39-40  
 Tyto alba, 463, 492  
   alba pratincola, 253-256, 259-260
- U
- Uhler, Francis M., and Louis N. Locke, A note on  
   the stomach contents of two Whooping  
   Cranes, 246  
 Uria aalge, 111, 167, 355, 359  
   lomvia, 111
- V
- Vanellus vanellus, 245  
 Veery, 116-119  
 Verdin, 431-432, 493-496  
 Vermivora celata, 419  
   luciae, 432  
   ruficapilla, 184  
 Vireo bellii, 328, 432  
   gilvus, 419  
   huttoni, 328, 418  
   solitarius, 184, 328, 419  
   vicinior, 328  
 Vireo, Bell's, 328, 432  
   Gray, 327-328  
   Hutton's, 328, 418, 420  
   Solitary, 184, 186, 328, 330, 419  
   Warbling, 419  
 Volatinia jacarina, 61  
 Vulture, King, 247  
   Turkey, 184, 244-245, 418, 420
- W
- Waldman, M., A third specimen of a Lower Cretace-  
   ous feather from Victoria, Australia, 377



- Warbler, Audubon's, 184-186, 418  
     Black-throated Blue, 109  
     Black-throated Gray, 327-328, 330, 419  
     Chestnut-sided, 116-119  
     Connecticut, 373  
     Grace's, 328, 330  
     Hooded, 109, 374  
     Kentucky, 373  
     Lucy's, 432  
     MacGillivray's, 184, 419  
     Mourning, 373  
     Myrtle, 116-119  
     Nashville, 184-186  
     Wilson's, 104, 419  
     Yellow, 104, 184, 419, 420  
     Yellow-throated, 473  
 Waxbill, Black-rumped, 125, 128-129  
 Waxwing, Cedar, 418, 428, 429, 499  
 Weaver Bird, Common, 190-194  
 Webster, Fred S., Jr., see Davis, L. Irby, and —  
 Whimbrel, 242, 372  
 Whip-poor-will, 237, 328  
     Ridgway's, 237  
 White, Clayton M., and David G. Roseneau, Observations on food, nesting, and winter populations of large North American falcons, 113-115  
 White-eye, 240, 481  
 Widgeon, American, 104  
     Southern, 361  
 Wiens, John A., see Moldenhauer, Ralph R., and —  
 Willet, 112, 222-223  
 Willson, Mary F., Foraging behavior of some winter birds of deciduous woods, 169-174  
 Wilson, Charles R., see Smith, Dwight G., and —  
 Wilson, Fred E., see Donham, Richard S., and —  
 Wilsonia, 373  
     canadensis, 374  
     citrina, 109, 374  
     pusilla, 104, 419  
 Wolf, Larry L., The impact of seasonal flowering on the biology of some tropical hummingbirds, 1-14  
 Won, Pyong-oh, Noteworthy bird records from Korea, 479  
 Woodcreeper, Buff-throated, 233  
     Plain-brown, 233  
     Spix's, 233  
     Straight-billed, 233  
 Woodpecker, Acorn, 196-199, 202-204, 313, 329  
     Arizona, 329  
     Black-backed Three-toed, 184-186  
     Downy, 169-174, 242, 418  
     Hairy, 184-186, 200, 418  
     Ladder-backed, 431-432  
     Lewis', 196, 198, 203-204  
     Pileated, 184, 418, 428  
     Red-bellied, 169-174  
     Red-headed, 170-173, 196, 198, 203-204, 313  
     Rufous-bellied Pied, 479  
     White-headed, 184, 186  
 Wren, Bewick's, 327-329, 418, 432  
     Cactus, 273, 363-364, 432-433  
     House, 125, 128, 184-186, 375  
     Long-billed Marsh, 179  
     Riverside, 105  
     Winter, 104, 419  
 Wren-thrush, 499  
 Wrentit, 201
- X**
- Xanthocephalus xanthocephalus, 458  
 Xema sabini, 104  
 Xiphidiopicus percussus, 313  
 Xipholena, 425, 429  
     punicea, 425, 429  
 Xiphorhynchus guttatus, 233  
     picus, 233  
     spixii, 233
- Y**
- Yellowlegs, Greater, 104, 242, 363  
     Lesser, 242  
 Yellowthroat, Black-pollled, 95  
     Orizaba, 95
- Z**
- Zar, Jerrold H., On the fitting of equations relating avian standard metabolism to body weight, 247  
 Zeledonia coronata, 499  
 Zenaida asiatica, 167, 371, 432  
     asiatica mearnsi, 109  
     asiatica peninsulæ, 371  
 Zenaidura macroura, 167, 184, 201, 203, 271, 291, 328, 432  
 Zimmerman, Dale A., Roadrunner predation on passerine birds, 475-476  
 Zonotrichia albicollis, 61, 66, 116, 162, 370  
     atricapilla, 104, 457  
     leucophrys, 57, 104, 271, 370  
     leucophrys gambelii, 62, 176  
     leucophrys nuttalli, 449  
 Zosterops albogularis, 481-482  
     lateralis, 481-482  
     lateralis lateralis, 481-482  
     lateralis tephroleura, 481-482  
     palpebrosa japonica, 240  
     tenuirostris, 481-482  
 Zosterops lateralis × Zosterops tenuirostris, 481